IWISS
Create efficient power

Wire Rope Crimping Tools

http://www.iwiss.com

IWISS® TOOLS

AM-116 Pneumatic Crimping Tool

Specification
1st hole crimping range:Φ1.58mm-Φ2mm(1/16"-5/64")
2nd hole crimping range:Φ2.5mm-Φ2.8mm(3/32"-7/64")
3rd hole crimping range: Φ3.17mm-Φ3.5mm(1/8")
4th hole crimping range: Φ4mm(5/32")
5th hole crimping range: Φ5mm(3/8")
Length: 520mm Weight: 13Kg

IWS-1608B 24" Wire Rope Crimping Tool

Specification
1st hole crimping range:Φ1.58mm-Φ2mm(1/16"-5/64")
2nd hole crimping range:Φ2.5mm-Φ2.8mm(3/32"-7/64")
3rd hole crimping range: Φ3.17mm-Φ3.5mm(1/8")
4th hole crimping range: Φ4mm(5/32")
5th hole crimping range: Φ5mm(3/8")
Length: 600mm Weight: 2.5Kg

IWS-1608M Wire Rope Crimping Tool

Specification
1st hole crimping range:Φ1.58mm-Φ2mm(1/16"-5/64")
2nd hole crimping range:Φ2.38mm-Φ2.78mm(3/32"-7/64")
3rd hole crimping range :Φ3mm-Φ3.5mm(1/8")
Weight:1.3kg
Length:381mm (15")

IWS-1608M-4 Wire Rope Crimping Tool

Specification
1st hole crimping range:Φ1.2mm(3/64")
2nd hole crimping range:Φ1.58mm-Φ2.00mm(1/16"-5/64")
3rd hole crimping range :Φ2.38mm-Φ2.78mm(3/32"-7/64")
4rd hole crimping range :Φ3mm-Φ3.5mm(1/8")
Weight:1.3kg
Length:381mm (15")

WIRE ROPE CRIMPING TOOL

WXS-255 Wire Rope Fishing Lines Crimping Tool

Specification
1st hole crimping range:Φ0.1mm-Φ0.5mm(0.0039"-1/64")
2nd hole crimping range:Φ0.5mm-Φ1.0mm(1/64-3/64")
3rd hole crimping range:Φ1.0mm-Φ2.0mm(3/64"-5/64")
4th hole crimping range:Φ2.2mm(3/32")
Weight:0.5kg
Length:260mm

WX-250 Wire Rope Crimping Tool with Cutting Function

Specification
1st hole crimping range:Φ0.1mm-Φ0.5mm(0.0039"-1/64")
2nd hole crimping range:Φ0.5mm-Φ1.0mm(1/64-3/64")
3rd hole crimping range:Φ1.0mm-Φ2.0mm(3/64"-5/64")
4th hole crimping range:Φ2.2mm(3/32")
Weight:0.5kg
Length:260mm

IWS-715CP IWISS Wire Rope Swager for Crimping Fishing Lines Up to 2.2mm (3/32")

Specification
Swages FOUR wire rope sizes 0.8,1.2,1.6,2.4mm(1/32",3/64",1/16",3/32")
For copper and aluminum oval sleeves
Made of heavy duty stainless steel for maximum corrosion resistance
Rugged composite handles with double dipped plastic handles are easier to carry
Weight 0.5KG

IWS-102 Wire Rope Cutter

Specification
High carbon steel blades, Heat treated. hardened, tempered and polished
Cuts up to Dia. 6mm wire rope and Dia. 1.5mm spring wire.
Spring loaded handles with vinyl grip and safety lock
Weight 0.3KG

FISH GRIP

FG-001

Specification
Open Size:28cm/190g
Closed Size:18cm/190g

FG-002 with mono-colour strip

Specification
Size:28cm/164g

FG-007 with decorative pattern and strip

Specification
Size:28cm/166g

FG-008 with decorative pattern and foldable

Specification
Open Size:28cm/190g
Closed Size:18cm/190g

FG-024 gun handle

Specification
Size:22cm/122g

FG-026 short handle

Specification
Size:17.5cm/120g

FG-028 with scale clamping force up to 15KG

Specification
Size:15.7cm/107g

FG-031 with gage and scale clamping force up to 15KG

Specification
Size:24.5cm/248g

IWISS

IWISS® TOOLS

FISHING PLIER

FG-1001 straight jaw

Specification
Size:13cm/59g

FG-1001 crooked jaw

Specification
Size:13cm/59g

FG-1004A straight jaw with hook

Specification
Size:14.5cm/75.5g

FG-1005

Specification
Size:16.2cm/80g

FG-1006

Specification
Size:16.3cm/120g

FG-1006 with sling

Specification
Size:16.3cm/130g

FG-1006B camouflage



Specification
Size:16.3cm/120g

FG1007A straight jaw with hook

Specification
Size:12.5cm/52.5g

FISHING PLIER

FG-1007 straight jaw

Specification
Size:12.3cm/52g

FG-1013A

Specification
Size:16.8cm/95.5g

FG-1013 tine with hook

Specification
Size:16.8cm/88g

FG-1015

Specification
Size:18cm/150g

FG-1016

Specification
Size:20cm/155g

FG-1018

Specification
Size:18cm/100g

FG-1019

Specification
Size:15.5cm/88g

FG-1021 curved handle

Specification
Size:18cm/107g